



NISSAN

NV350 URVAN



NISSAN NV350 URVAN



INNOVATION THAT WORKS.

Since 1973 the Nissan Urvan has been hard at work, helping to transport people and cargo quickly, safely and efficiently around the continent. Now, with the introduction of the NV350 Urvan, that reputation for reliability and versatility is set to grow even stronger.

"The NV350 URVAN makes good business sense whichever way you look at it."

Exceptional fuel economy is provided by the more efficient petrol and diesel engines. You have a choice of either narrow body or wide body models with a more spacious interior for increased passenger comfort on the minibuss. The powerful exterior styling and fresh design is complemented by a driver-friendly cockpit area.

Quite simply, it's innovation that works.



DELIVERY WITH STYLE. WHATEVER YOU'RE CARRYING

Whether you choose the Narrow Body Minibus, Wide Body Minibus or Panel Van with standard body and roof, there's an option to suit your needs perfectly. Because versatility is another thing the Nissan NV350 Urvan delivers on, every single time.



MINIBUS
Wide & Long Body • High Roof • 15 passengers



VAN
Standard Body • Standard Roof • 3 passengers





MINIBUS
Narrow Body • High Roof • 12 passengers



VAN
Standard Body • Standard Roof
3 passengers • Glass window



MINIBUS
Narrow & Long Body • Standard Roof • 12 passengers



MORE COMFORT, MORE SPACE, MORE REASONS TO ENJOY THE JOURNEY

1. Rear air conditioning to keep customers cool with individual air vents available on Wide Body models.
2. Lower centre tray holds two 500ml bottles and features a vent from the air conditioner to help keep drinks cool.
3. Spacious cockpit providing ample space for knee room and head room for both driver and passengers. Multiple storage areas in upper box, cup-holders, upper tray, driver pocket and glove box.
4. Interior lamps in the front, rear and luggage compartment illuminate the area for easy loading and unloading.
5. Sliding windows are designed for convenience.
6. Keyless entry with panic alarm on selected models.



DESIGNED AROUND THE DRIVER FOR MAXIMUM EFFICIENCY

Easy to read instrumentation in a carefully designed layout, extra storage areas and added comfort mean the Nissan NV350 Urvan's most important occupant, the driver, is focused and in control, whatever the traffic.


- Multi-functional display provides the driver with real-time fuel efficiency information, indicating shift timing, as well as odometer and trip meter data.
- Auto door closure allows you to release the slide-door once it has closed halfway (on selected models).
- It's possible to tilt the steering column and slide the seat into the ideal position to avoid driver fatigue.



EVEN MORE ROOM FOR SAFETY

The safety of both driver and passengers is of critical importance in the design of the Nissan NV350 Urvan. Features such as an Anti-lock Braking System, Brake Assist, collapsible impact zones and front airbags combine to make every journey as safe as it is comfortable.




-  Crumple Zone
-  Occupant Zone

Zone Body construction enhances cabin safety by combining impact-absorbing "crumple zones" with a high-strength "occupant zone" to protect passengers.



SRS (Supplemental Restraint System) airbags standard for the driver (on all models) and front seat passenger (on selected models) help to reduce the risk of injury resulting from impact.



Anti-lock Braking System (ABS) helps prevent skidding during emergency braking. Brake Assist (BA) enhances full braking performance in emergency situations (on selected models).



The driver and front seat passenger seats are equipped with seatbelts featuring pretensioners and load limiters. In minibus models, each rear passenger seat features 3-point seatbelts.

ALL THE SPACE YOU NEED

*"4 rope hooks are
mounted on each side
in all Nissan NV350
Urvan models to keep
your goods secured."*

1 275mm
Rear Door Opening Height

1 350mm
Cargo Area Height

1 545mm
Cargo Area Width

1 370mm
Opening Width

2 865mm
Cargo Area Depth



AN ENGINE AS POWERFUL AS IT IS FUEL EFFICIENT

YD25DDTi

2.5-litre DOHC Direct Injection 16 Valve

Max Power:
95kW (129hp) 3200rpm

Max Torque:
356Nm (36.3kg-m) 1400 – 2000rpm

The YD25DDTi turbo diesel engine with intercooler not only offers class-leading torque output for superior acceleration, it's also impressively fuel efficient and exceptionally environmentally friendly, with reduced CO₂ emissions and low noise and vibration.

"Versatile and responsive, this 5-speed transmission hosts an impressive array of advanced computerised technologies that maximise efficiency while ensuring a smooth, dynamic ride at all times."



NISSAN'S COMMITMENT TO THE ENVIRONMENT
NISSAN'S environmental philosophy embraces people, vehicles and nature. In the pursuit of a sustainable mobile society, the NISSAN GREEN PROGRAM aims to reduce the environmental impact of NISSAN vehicles at every stage of the vehicles life cycle, while corporate activities address environmental challenges.



QR25DE

2.5-litre DOHC Gasoline

Max Power:
108kW (147hp) 3200rpm

Max Torque:
213Nm (21.7kg-m) 1400 – 2000rpm

Nissan's high-performance, in-line 4-cylinder QR25DE gasoline engine delivers powerful acceleration, even while carrying heavy loads. Quieter than ever, this engine also boasts class-leading fuel efficiency with exceptional environmentally friendly performance.



Whether you choose the direct injection turbo diesel engine or the 4-cylinder gasoline engine, the Nissan NV350 Urvan's advanced power plants guarantee a smooth, powerful performance that deliver on economy wherever your business takes you.

MINIBUS









Wide Body, High Roof Wide Long Body, High Roof




Long Body, High Roof



Standard Body, Standard Roof



COLOUR AND TRIM



White [S] - QM1

Silver [M] - K23

Gray [M] - KAD

DK Blue [P] - BW5

Flat Tricot - KBE

[M] Metallic / [P] Pearl Metallic / [S] Solid





VAN



Panel Van Standard Body, Standard Roof



Panel Van Standard Body, Standard Roof Optional Windows



PEACE OF MIND

OUR PROMISE TO YOU

At Nissan we keep our promises and take care of our family. Servicing and repairing your Nissan at an authorised Nissan dealership is the way to go. Our Nissan technicians are highly trained specialists that know your Nissan better than anyone. They will use Genuine Nissan Parts, Genuine Nissan Accessories to ensure quality, reliability and to keep your vehicle performing to optimum standards. Nissan aims to keep you and your vehicle on the road with total peace of mind – for as long as possible. **THIS IS A NISSAN AFTERSALES PROMISE.**

NISSAN
AFTERSALES
OUR PROMISE. YOUR EXPERIENCE

MODEL				
Model		Window Van	Minibus	Panel Van
Body type		Narrow	Wide	Narrow
Number of seats		3	15	3
Roof height		Standard	High	Standard
ENGINE				
Engine		QR25	QR25	YD25
Engine type		4-cylinder, in-line, DOHC	4-cylinder, in-line, DOHC	4-cylinder, in-line, DOHC
Engine displacement	cc	2488	2488	2488
Fuel type		Petrol	Petrol	Diesel
Fuel tank capacity	ℓ	65	65	65
Fuel system		Multipoint injection	Multipoint injection	Direct injection & common rail
Max Power	kW (PS)/rpm	108 (147) / 5600	108 (147) 5600	95 (129) / 3200
Max Torque	Nm (kg-m)/rpm	213 (21.7) / 4400	214 (21.7) 4400	356 (36.3) / 1400-2000
DIMENSIONS				
Overall length	mm	4695	5320	4695
Overall width	mm	1695	1880	1695
Overall height	mm	1990	2285	1990
Wheelbase	mm	2555	2940	2555
Tread front / rear	mm	1470 / 1450	1655 / 1635	1470 / 1450
Min. ground clearance	mm	195	195	195
Gross vehicle weight	kg	3200	3090	3200
Curb weight	kg	1675	1980	1675
Min. turning radius (curb to curb)	m	5,2	6	5,2
TRANSMISSION				
Transmission		5TM	5T/M	5TM
Gear Ratio	1	4,225	4,225	4,225
	2	2,341	2,341	2,341
	3	1,458	1,458	1,458
	4	1,000	1,000	1,000
	5	0,796	0,796	0,796
	Reverse	4225	4225	4225
Final gear ratio		4,875	4,875	4,111
SUSPENSION				
Suspension front		Double wishbone torsion bar	Double wishbone torsion bar	Double wishbone torsion bar
Suspension rear		Rigid axle with leaf spring	Rigid axle with leaf spring	Rigid axle with leaf spring
Suspension stabiliser		Standard	Standard	Standard
COMFORT & CONVENIENCE				
Windows		Tinted windows with UV cut front windows	Tinted windows with UV cut front windows	Tinted windows with UV cut front windows
Front windows		Powered windows with one touch up on Drivers side	Powered windows with one touch up on Drivers side	Powered windows with one touch up on Drivers side
Side window		2nd fixed (R/L), 3rd fixed (R/L)	2nd Fixed (AS-side), Slide (DR-side), 3rd Fixed (AS-side), Slide (DR-side)	2nd, 3rd Panel (R/L)
Windscreen wipers		2-Speed Intermittent	2-Speed Intermittent	2-Speed Intermittent
Halogen lamps		Standard	Standard	Standard
Rear view mirror		Manual anti-dazzling	Manual anti-dazzling	Manual anti-dazzling
Door mirror		Black manual folding & operated	Black manual folding & operated	Black manual folding & operated
Panic alarm		-	-	-
Door open and lights on warning		Standard	Standard	Standard
Steering wheel		Manual tilt height adjust	Manual tilt height adjust	Manual tilt height adjust
Sun visor		Driver and passenger side	Driver and passenger side	Driver and passenger side

Window Van	Minibus	Minibus	Minibus
Narrow	Narrow	Narrow	Wide
3	12	12	15
Standard	High	High	High
YD25	YD25	YD25	YD25
4-cylinder, in-line, DOHC	4-cylinder, in-line, DOHC	4-cylinder, in-line, DOHC	4-cylinder, in-line, DOHC
2488	2488	2488	2488
Diesel	Diesel	Diesel	Diesel
65	65	65	65
Direct injection & common rail	Direct injection & common rail	Direct injection & common rail	Direct injection & common rail
95 (129) / 3200	95 (129) / 3200	95 (129) / 3200	95 (129) / 3200
356 (36.3) / 1400-2000	356 (36.3) / 1400-2000	356 (36.3) / 1400-2000	356 (36.3) / 1400-2000
4695	5080	5080	5320
1695	1695	1695	1880
1990	2285	2285	2285
2555	2940	2940	2940
1470 / 1450	1470 / 1450	1470 / 1450	1656 / 1635
195	195	195	196
3200	3160	3160	3090
1675	2060	2060	1980
5,2	5,9	5,9	5,9
5TM	5T/M	5T/M	5T/M
4,225	4,225	4,225	4,225
2,341	2,341	2,341	2,341
1,458	1,458	1,458	1,458
1,000	1,000	1,000	1,000
0,796	0,796	0,796	0,796
4225	4225	4225	4225
4,111	4,111	4,111	4,111
Double wishbone torsion bar	Double wishbone torsion bar	Double wishbone torsion bar	Double wishbone torsion bar
Rigid axle with leaf spring	Rigid axle with leaf spring	Rigid axle with leaf spring	Rigid axle with leaf spring
Standard	Standard	Standard	Standard
Tinted windows with UV cut front windows	Tinted windows with UV cut front windows	Tinted windows with UV cut front windows	Tinted windows with UV cut front windows
Powered windows with one touch up on Drivers side	Powered windows with one touch up on Drivers side	Powered windows with one touch up on Drivers side	Powered windows with one touch up on Drivers side
2nd fixed (R/L), 3rd fixed (R/L)	2nd Fixed (AS-side), Slide (DR-side), 3rd Fixed (AS-side), Slide (DR-side)	2nd Fixed (AS-side), Slide (DR-side), 3rd Fixed (AS-side), Slide (DR-side)	2nd slide (R/L), 3rd fixed (AS-side), Slide (DR-side)
2-Speed Intermittent	2-Speed Intermittent	2-Speed Intermittent	2-Speed Intermittent
Standard	Standard	Standard	Standard
Manual anti-dazzling	Manual anti-dazzling	Manual anti-dazzling	Manual anti-dazzling
Black manual folding & operated	Black manual folding & operated	Black manual folding & operated	Black manual folding & operated
-	-	Standard	Standard
Standard	Standard	Standard	Standard
Manual tilt height adjust	Manual tilt height adjust	Manual tilt height adjust	Manual tilt height adjust
Driver and passenger side	Driver and passenger side	Driver and passenger side	Driver and passenger side

NISSAN		NV350 URVAN		SPECIFICATIONS		22	
COMFORT & CONVENIENCE (Continued)							
Driver foot-rest		Standard	Standard	Standard			
Radio		"1DIN AM/FM with 2 speakers"	"Radio CD, AUX & 2DIN AM/FM with 2 speakers"	"1DIN AM/FM with 2 speakers"			
Interior lighting		Standard	Standard	Standard			
Rear riding grip		Driver and passenger	Driver, passenger and C pillar on slide door side	-			
Number of cupholders: 2		Standard	Standard	Standard			
Airconditioner		Manual aircon with front vent	Manual aircon and rear manual cooler with individual vents in front and rear	Manual aircon with front vent			
Front door storage		Standard	Standard	Standard			
Back door		Inside lever type handle	Inside lever type handle	Inside lever type handle			
SEATS & TRIM							
Seat material fabric		Standard	Standard	Standard			
Front headrest		Seat integrated	Seat integrated	Seat integrated			
Rear headrest		-	Standard	-			
Driver seat		Manual adjustment slide and Full Reclining	Manual adjustment slide and Full Reclining	Manual adjustment slide and Full Reclining			
Passenger and centre seat		Manual adjustment full reclining and fall down with seatback console	Manual adjustment full reclining and fall down	Manual adjustment full reclining and fall down with seatback console			
EXTERIOR							
Door		Manual sliding side door	Manual sliding side door	Manual sliding side door			
Front grille		Silver painted	Silver painted	Silver painted			
Outside door and back door handle		Black	Black	Black			
Front and rear bumper		Black	Black	Black			
Inner rope hook		Hook is optional with only 4 point mounting structure	-	Hook is optional with only 4 point mounting structure			
SAFETY & SECURITY							
Handbrake		Retractable	Retractable	Retractable			
Brakes front/rear		Ventilated discs/drums	Ventilated discs/drums	Ventilated discs/drums			
ABS and Break Assist		Standard	Standard	Standard			
Rear seatbelts: 3-Point		-	Standard	-			
Front seatbelt with pre-tensioners, load limiter 3 Point ELR and seatbelt reminder		Standard	Standard	Standard			
Front Driver & Passenger Airbags		Standard	Standard	Standard			
Door Lock		Cental door lock	Cental door lock	Cental door lock			
WHEEL/TYRE							
Tyre size		195/80R/15 Steel full wheel cover	195/80R/15 Centre cap	195/80R/15 Full steel wheel cover			
Spare wheel: Steel full size		Standard	Standard	Standard			

Standard	Standard	Standard	Standard
"1DIN AM/FM with 2 speakers"	"Radio CD, AUX & 2DIN AM/FM with 2 speakers"	"1DIN AM/FM with 2 speakers"	"1DIN AM/FM with 2 speakers"
Standard	Standard	Standard	Standard
-	Driver, passenger and C pillar on slide door side	Driver, passenger and C pillar on slide door side	Driver, passenger and C pillar on slide door side
Standard	Standard	Standard	Standard
Manual aircon with front vent	Manual aircon and rear manual cooler with vents in front and rear	Manual aircon and rear manual cooler with vents in front and rear	Manual aircon and rear manual cooler with individual vents in front and rear
Standard	Standard	Standard	Standard
Inside lever type handle	Inside lever type handle	Inside lever type handle	Inside lever type handle
Standard	Standard	Standard	Standard
Seat integrated	Seat integrated	Seat integrated	Seat integrated
-	Standard	Standard	Standard
Manual adjustment slide and Full Reclining	Manual adjustment slide and Full Reclining	Manual adjustment slide and Full Reclining	Manual adjustment slide and Full Reclining
Manual adjustment full reclining and fall down with seatback console	Manual adjustment full reclining and fall down	Manual adjustment full reclining and fall down	Manual adjustment full reclining and fall down
Manual sliding side door	Manual sliding side door	Manual sliding side door	Manual sliding side door
Silver painted	Silver painted	Silver	Silver painted
Black	Black	Black	Black
Black	Black	Body Coloured	Black
Hook is optional with only 4 point mounting structure	-	-	-
Retractable	Retractable	Retractable	Retractable
Ventilated discs/drums	Ventilated discs/drums	Ventilated discs/drums	Ventilated discs/drums
Standard	Standard	Standard	Standard
-	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Cental door lock	Cental door lock	Cental door lock	Cental door lock
195/80R/15 Full steel wheel cover	195/80R/15 Centre cap	195/80R/15 Centre cap	195/80R/15 Full steel wheel cover
Standard	Standard	Standard	Standard

